



Department of Energy
Richland Operations Office
P.O. Box 550
Richland, Washington 99352

0063930

05-AMCP-0097

DEC 20 2004

Mr. Ken Niles
Assistant Director
Oregon Department of Energy
625 Marion Street N.E.
Salem, Oregon 97301

RECEIVED
MAR 07 2005

EDMC

Dear Mr. Niles:

RESPONSE TO COMMENTS ON THE ENGINEERING EVALUATION/COST ANALYSIS
(EE/CA) FOR THE REMOVAL OF THE CONTAMINATED WASTE RECOVERY
PROCESS FACILITY, BUILDING 232-Z AT THE PLUTONIUM FINISHING PLANT (PFP)

63929

Thank you for submitting comments on the Engineering Evaluation/Cost Analysis (EE/CA) for the Removal of the Contaminated Waste Recovery Process Facility, Building 232-Z. The agencies appreciate the time and effort you took to provide input on this document.

63935

63936

Your comments are incorporated in the enclosed Comment and Response document. They were considered in the development of the Action Memorandum, which is also enclosed. The Action Memorandum, with the Responsiveness Summary and Comment-Response documents, is available at <http://www2.hanford.gov/arpir/>.

63100

If you have any questions, please contact Stacy Charboneau of my staff on (509) 373-3841, stacy_1_charboneau@rl.gov, or Rick Bond of the State of Washington Department of Ecology on (509) 736-3007, fbon461@ecy.wa.gov.

Sincerely,

Matthew S. McCormick, Assistant Manager
for the Central Plateau

AMCP:WCW

Attachment

cc w/o attach:

F. W. Bond, Ecology
N. Ceto, EPA Region 10
D. A. Faulk, EPA Region 10
K. A. Hadley, FHI
A. M. Hopkins, FHI
S. E. Killoy, Polestar

S. H. Norton, FHI
L. Oates, EQM
C. J. Simiele, FHI
D. S. Takasumi, FHI
B. K. Wise, FHI